FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

STANISLAUS J. SOWINSKI LT, U. S. N.

Attached to
_____ Division,
_____ Squadron,
_____ Flotilla,
U.S. PACIFIC FLEET Fleet,
_____ Naval District,

Commencing 0000 W 1 NOVEMBER, 1961,
(zone time and date)

at U.S. NAVAL STATION PEARL HARBOR HAWAII,
(location)

and ending 2400 W 30 NOVEMBER, 1961,
(zone time and date)

at U.S. NAVAL STATION PEARL HARBOR HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR, T. H.

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ , 19 ____

(Day) (Date) (Month)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS HOBNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY, 1 NOVEMBER, 1961
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07	SEE FLEET WEATHER CENTRAL												
08													
09													
10													
11	PEARL HARBOR, HAWAII												
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

110

FUEL CONSUMED 0000-2400

1,076

REMARKS

00-04 Moored Port side to Berth Alfa 7 in (17-5) U.S. Naval Station Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving installation service from the pier. Ship present includes various units of the U.S. Pacific Fleet Yard and district Craft. A.C.P.A. is Commander in Chief U.S. Pacific Fleet

J.E. Hoffey CWO USN.

04-08 Moored as before. 0450 Mustered the Crew at Quarters for muster and inspection; Absentees none 0502 Set the Special sea and anchor detail 0524 Underway in accordance with Com 7th Flt Fra Plan Op ord 43-61 enroute to OP area Golf Two with target sled 5-40 in tow. Maneuvering to clear Berth Alfa 7 in (17-5) U.S. Naval Station Pearl Harbor, Hawaii. Captain Conning, Navigator on the bridge. 0525 Steering (CONT)

APPROVED:

LT U. S. N. COMMANDING

EXAMINED:

E.B. Mash LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 1 (Date) NOVEMBER (Month) 61

04-08 (CONT) various courses at various speeds standing out of Pearl Harbor Channel. 0538 streamed target to 600 feet. 0554 streamed target to 600 feet. 0538 secured special sea and anchor detail, set the tow watch. 0600 C/C 175°. 0600 C/C 180°. 0601 C/S 80 RPM 10.3 kts. 0602 C/C 190° C/S 85 RPM 10.8 kts. 0604 C/S 90 RPM 11.3 kts entered inter national water. 0605 C/C 210°. 0652 C/C 205°

J.G. Hoffey Cwo USN.

08-12 UNDERWAY AS BEFORE. 0821 C/C TO 260°T. 0845 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 0910 C/C TO 190°T. 0911 C/S TO 8.0 KNOTS (62 RPM), COMMENCED STREAMING TARGET TO 3600 FEET. 0921 TARGET SUBMERGED, C/S TO ALL STOP. 0922 TARGET SURFACED UPRIGHT CONTINUED PAYING OUT TO 3600 FEET. 0935 C/S TO 9.5 KNOTS (75 RPM). 0936 TARGET STREAMED TO 3600 FEET, TOWING ON THE DOG. 0943 COMMENCED SCHEDULED EXERCISE Z-24-6 WITH USS McCAIN (DL-3). 1017 COMPLETED SCHEDULED EXERCISE Z-24-6 WITH USS McCAIN (DL-3). 1025 C/C TO 275°T. 1034 C/C TO 010°T. 1107 COMMENCED SCHEDULED EXERCISE Z-21-6 WITH USS McCAIN (DL-3). 1149 COMPLETED SCHEDULED EXERCISE Z-21-6 WITH USS McCAIN (DL-3).

E.B. Masch LTJG USNR

12-16 UNDERWAY AS BEFORE. 1215 C/C TO 180°T. 1232 C/C TO 130°T. 1257 COMMENCED SCHEDULED EXERCISE Z-27-6 WITH USCGC IRONWOOD (WAGL-297). 1402 C/C TO 000°T, COMPLETED SCHEDULED EXERCISE Z-27-6 WITH USCGC IRONWOOD (WAGL-297). 1431 COMMENCED SCHEDULED EXERCISE Z-25-6 WITH USCGC IRONWOOD (WAGL-297). 1434 COMPLETED SCHEDULED EXERCISE Z-25-6 WITH USCGC IRONWOOD (WAGL-297). 1444 C/C TO 045°T. 1447 COMMENCED HEAVING IN TARGET TO 600 FEET. 1510 TARGET HEAVED IN TO 600 FEET, TOWING ON THE DOG. 1514 C/S TO 11.3 KNOTS (90 RPM)

E.B. Masch LTJG USNR

16-20 UNDERWAY AS BEFORE. 1803 C/C TO 053°T. 1822 SET SPECIAL SEA AND ANCHOR DETAIL, CAPTAIN HAS THE CONN, NAVIGATOR IS ON THE BRIDGE, STEERING VARIOUS COURSES TO CONFORM WITH CHANNEL AND TO MAKE BERTH. 1832 ENTERED INLAND WATERS. 1848 HEAVED IN TOW TO 100 FEET. 1902 HEAVED IN TOW CLOSE TO STERN. 1909 MOORED PORT SIDE TO BERTH ALFA FIVE (A-5) U.S. NAVAL STATION PEARL HARBOR, HAWAII WITH FOUR STANDARD MOORING LINES DOUBLED UP. 1918 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED:

LT, U.S.N. COMMANDING

EXAMINED:

E.B. Masch LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 2 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07	SEE FLEET WEATHER CENTRAL												
08													
09													
10													
11	PEARL HARBOR HAWAII												
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
31

FUEL CONSUMED 0000-2400
344

REMARKS

00-04 MOORED PORT SIDE TO BERTH ALFA FIVE (A-5) U.S. NAVAL STATION PEARL HARBOR HAWAII WITH FOUR(4) STANDARD MOORING LINES DOUBLED UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET PLUS YARD AND DISTRICT CRAFT, SOPA IS CINCPACFLT.

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0725 USS LIPAN (ATF-85) MOORED ALONGSIDE TO STARBOARD. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) THURSDAY (Day) 2 (Date) NOVEMBER (Month), 19 61

0812 Moored as before. 0900 Made daily inspection of magazines and smokeless powder samples. Conditions normal. Set the special sea and anchor detail. 0905 Completed all preparations for getting underway. Ship F. Toward 13'6" aft 16'6". 0915 Underway for local operations in accordance with Comtrasubpac op-order 44-61. Captain has the conn navigator on the bridge. Steering various courses and speeds to conform to Pearl Harbor Channel. 0924 Passed buoy 3 abeam to starboard distance apprx. 100 yards 0930 Passed buoy 1 abeam to starboard distance apprx. 80 yards 0931 Secured the special sea and anchor detail. 0935 Made daily inspection of magazines and smokeless powder samples. Conditions normal. C/C to 153° 14 K (PSTGC). 0937 Entered Inland waters. 0950 C/C to 195° 18 K (PSTGC). 1013 C/C to 110° 09 K (PSTGC). C/S to 6.2 knots (50 RPMS). 1015 Commenced replenishment at sea stations. 1017 Steering various courses and speeds while conducting exercises. 1020 Commenced Exercises Z-25-S Z-26-S Z-28-S with USCGC Dionwood (WAGL-293). 1142 Completed all exercises. 1153 Secured from replenishment at sea detail.

J. F. Stupp, CWO, USN

12-16 Underway as before. 1215 C/C to 045° 034° C/S to 6 knots 45 RPM's. 1232 C/C 013°. 1239 C/C to 014° 005 PSTGC 1244 Captain assumed the conn 1245 Secured special sea and anchor detail. 1302 C/C to 333°. 321 PSTGC. 1305 Entered Inland waters. Captain has the conn navigator on the bridge. Steering various courses and speeds to conform to Pearl Harbor Channel. 1314 Passed buoy 2 abeam to starboard distance apprx. 100 yards. 1317 Passed buoy 4 abeam to starboard distance apprx. 80 yards. 1322 Passed buoy 6 abeam to starboard distance apprx. 100 yards. 1336 Passed buoy 20 abeam to starboard distance apprx. 75 yards. 1356 Moored starboard side to South Pier 24 Eighteen (S-18), U.S. Naval Submarine Base Pearl Harbor, Hawaii with four (4) lines and mooring lines. 1405 Secured the special sea and anchor detail.

J. F. Stupp, CWO, USN

16-20 Moored as before. 1800 Set Condition X-Ray (condition 4) Zebra. 1815 Set Condition Able Duty Fire Party.

J. F. Stupp, CWO, USN

20-24 Moored as before.

J. F. Stupp, CWO, USN

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 3 (Date) NOVEMBER (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE		FLEET		WEATHER				CENTRAL			
07													
08													
09		PEARL		HARBOR,		HAWAII							
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
75

REMARKS

00-04 Moored starboard side to South Wing Eighteen (CS-18) U.S. Naval Submarine Base Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous provisions from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, yard and district craft & ORI as Commander Cruiser Div Two, U.S. Pacific Fleet

J. F. Stupp, CWO, USN

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection; absentees none.

J. F. Stupp, CWO, USN

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 3 NOVEMBER (Date) (Month), 19 61

08-12: MOORED AS BEFORE. 0901 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0930 MADE WEEKLY TEST OF MAGAZINE SPRINKLING SYSTEM; TEST SATISFACTORY.

W. K. Swan, ENS, USNR

12-16: MOORED AS BEFORE. 1345 MUSTERED THE CREW ON THE PIER FOR CAPTAIN'S PERSONNEL INSPECTION. 1421 SECURED FROM CAPTAIN'S PERSONNEL INSPECTION.

W. K. Swan, ENS, USNR.

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

W. K. Swan, ENS, USNR.

20-24: MOORED AS BEFORE.

W. K. Swan, ENS, USNR.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 4 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08	PEARL HARBOR, HAWAII.												
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH SIERRA-EIGHTEEN (S-18), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

W. [illegible], CWO, USNR.

04-08: MOORED AS BEFORE.

W. [illegible], ENS, USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 4 (Date) NOVEMBER (Month) 1961

08-12. Moored as before, 0800 Mustered duty section on station. Abeaming; work 1015. Made daily inspection of magazine temperature and smokeless powder samples, condition normal

J.E. Hoffey CWO USN.

12-16. Moored as before.

J.E. Hoffey CWO USN.

16-20. Moored as before. 1800 Set material condition Yoke second deck and below.

J.E. Hoffey CWO USN.

20-24. Moored as before.

J.E. Hoffey CWO USN.

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: E. B. March LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 5 (Date) NOVEMBER (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER			CENTRAL					
07													
08													
09	PEARL		HARBOR,		HAWAII								
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04. Moored starboard side to Berth Sierra Eighteen (S-18) U.S. Naval Submarine Base, Pearl Harbor, Hawaii. With four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet. Yard and district craft. SOPA is Commander in Chief U.S. Pacific Fleet
J.E. Hoffey Cwo U.S.N.

04-08. Moored as before. 0755 Mustered duty section on station absentees: none.
J.E. Hoffey Cwo U.S.N.

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) ~~4~~ 5 NOVEMBER (Date) (Month), 19 61

08-12 MOORED AS BEFORE. 0950 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE. 1815 MUSTERED THE DUTY FIRE PARTY, ABSENTEES NONE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 6 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09	PEARL HARBOR HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
62

FUEL CONSUMED 0000-2400
757

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH SIERRA EIGHTEEN (S-18) U.S. NAVAL SUBMARINE BASE PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET PLUS YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF U.S. PACIFIC FLEET.

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) MONDAY (Day) 10 NOVEMBER (Date) (Month) 19 41

08-12 Moored as before. 0845 Made daily inspection of magazines and powder less powder samples condemned. 1145 Commenced making preparations for getting underway.

J.F. Stipp CWO USN

12-16 Moored as before. 1215 Set Special Sea and Anchor detail. 1220 Completed all preparations for getting underway. Left forward 13'3" aft 14'3" 1221 Underway for Ohau, Pearl Harbor, Honolulu Hawaii. Captain has the conn, navigator on the bridge. Steering various courses and speeds to conform to Pearl Harbor Channel. 1251 Passed buoy 1 abeam to starboard distance approx 150 yards. 1305 Passed buoy 3 abeam to starboard distance approx 150 yards. 1311 Passed buoy 5 abeam to starboard distance approx. 150 yards. 1314 Commenced running the measured mile. 1317 Steered 360 T. running the measured mile. 1322 Ended measured mile. 1326 C/C to 090° 078° (PSTGC). C/S to 13.3 knots (100 RPMS) 1358 C/C to 031° 019° (PSTGC). Captain has the conn, navigator on the bridge. Steering various courses and speeds to conform to Honolulu Entrance Channel. 1418 Passed buoy 2 abeam to starboard distance approx. 40 yards. 1417 Passed buoy 4 abeam to starboard distance approx. 65 yards. 1442 Sighted starboard side to bath 40 Barrel U.S. Army piers Honolulu Hawaii with four (4) standard mooring buoys. 1514 Secured the special sea and anchor detail. 1538 Connected tow wire to YCV 17. 1554 Set the special sea and anchor detail.

J.F. Stipp, CWO, USN

16-20 MOORED AS BEFORE. 1600 UNDERWAY WITH YCV-17 INTOW IN ACCORDANCE WITH COMSERVPAC MSG 252253Z FOR LANAI, HAWAII, MAKING VARIOUS COURSE AND SPEED CHANGES TO CONFORM WITH HONOLULU CHANNEL. 1650 STEADY ON COURSE 150°T, SPEED 8.3 KNOTS (65 RPM), SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1652 C/C TO 147°T. 1729 C/C TO 180°T. 1935 C/C TO 167°T. 1942 C/C TO 095°T.

E.B. Masch LTJG USNR

20-24 Underway as before. 2052 Sighted Makapuu light 7 bearing 013°. Distance approximately 21 miles. 2107 C/C to 098° PGC 100°T. 2155 C/C to 096° PGC 098°T. 2220 C/C to 099° 101° T. 2231 Sighted Laau Point light 7 bearing 051° distance approx. x miles. 2335 C/S to 7.7 knots 60 (RPMS) 2336 C/C to 108° PGC 102° T.

J.F. Stipp, CWO, USN.

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 7 (Date) NOVEMBER (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO KAUMALAPAU HARBOR, LANAI, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05		SEE	FLEET	WEATHER				CENTRAL					
06													
07													
08													
09		PEARL	HARBOR	HAWAII									
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 100

FUEL CONSUMED 0000-2400: 997

REMARKS

00-04. Steaming independently from Honolulu, Hawaii Enroute to Kaumalapau Harbor, Lanai, Hawaii with (CVA-17) In tow in accordance with COMSERV PAC MSG 752253Z. Used 600 feet of tow wire out and on deck log. On course 102°, speed 65 RPM (8.4 kts) Number two and four generators in the propulsion loop, number one auxiliary generator on ship power and ventilation. Radar is out of commission. Material Condition Yoke set throughout the ship. 0255 passed Laau Point Light abeam to port. Dist Approximately 14 miles. 0235 Sighted Kaumalapau Harbor light Bearing 102° Dist Approximately 13½ miles. 0243 C/C 096°. 0257 Sighted Cape Kaea Lt Bearing 112° dist Approximately 14 miles. 0303 C/S 55 RPM 7.2 kts. 0308 Passed Oro Beacon on Molokai abeam to Port dist approx 12 miles 0331 C/S 50 RPM 6.7 kts. 0359 C/S 45 RPM 6 kts

J. E. Hoffey CWO U.S.N.

APPROVED: _____ LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ _____ _____, 19____

(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 7 (Date) NOVEMBER (Month), 19 61

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO KAUMALAPAU HARBOR, LANAI HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER					CENTRAL			
07													
08													
09	PEARL		HARBOR		HAWAII								
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
~~447~~ EBM

REMARKS

04-08 UNDERWAY AS BEFORE. 0415 COMMENCED HEAVING IN TOW TO 300 FEET. 0425 C/S TO 4.0 KNOTS (30 RPM). 0428 TOW IN TO 300 FEET, TOWING ON THE DOG. 0445 C/C TO 105°T. 0459 C/C TO 110°T. 0504 C/C TO 120°T. 0509 C/C TO 130°T. 0551 C/S TO 4.6 KNOTS (35 RPM). 0630 C/C TO 110°T. 0634 C/C TO 070°T. 0638 C/C TO 060°T, HEAVED IN TOW TO 150 FEET. 0640 SET SPECIAL SEA, ANCHOR AND TOWING DETAIL. 0644 HEAVED IN TOW TO 50 FEET. 0655 BROKE THE TOW, CIVILIAN TUGS HAVE YCU-17 IN TOW. 0656 C/S TO 9.5 KNOTS (75 RPM), C/C TO 280°T. 0700 C/S TO 6.7 KNOTS (50 RPM), C/C TO 080°T. 0716 C/S TO 3.0 KNOTS (23 RPM). 0726 C/S TO ALL STOP, C/C TO 070°T. 0727 LET GO PORT ANCHOR CHAIN, ANCHORED IN 20 FATHOMS OF WATER WITH SAND AND CORAL BOTTOM ON FOLLOWING ANCHOR BEARINGS IN KAUMALAPAU HARBOR, LANAI HAWAII: ROCK 127°T, SOUTH LIGHT 060°T NORTH LIGHT 107.5°T. 0733 PAYED OUT TO 70 FATHOMS OF CHAIN. 0745 SECURED THE SPECIAL SEA, ANCHOR AND TOWING DETAIL.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 7 (Date) NOVEMBER (Month), 19 61

08-12 ANCHORED AS BEFORE. 0800 MUSTERED THE CREW ON STATION, ABSENTEES: NONE. 0857 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 0900 SET SPECIAL SEA, ANCHOR AND TOWING DETAIL. 0907 HEAVED IN ANCHOR TO SHORT STAY. 0913 ANCHOR AWEIGH, UNDERWAY FROM ANCHORAGE IN KAUMALAPAU HARBOR, LANAI HAWAII MANEUVERING VARIOUS COURSES AND SPEEDS TO TAKE (YCU-17) IN TOW FROM CIVILIAN TUGS. 0929 HAVE (YCU-17) IN TOW, C/S TO 4.6 KNOTS (35 RPM), COMMENCED PAYING OUT TOW TO 900 FEET. 0935 STEADY ON COURSE 285°T. 1001 C/S TO (95 RPM) 11.8 KNOTS. 1013 TOW PAYED OUT TO 900 FEET, TOWING ON THE DOG. 1015 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

E. B. Masch LTJG USNR

12-16: UNDERWAY AS BEFORE. 1232 C/C TO 290.5°T. 1248 C/C TO 294.5°T. 1348 C/C TO 297.5°T. 1358 C/C TO 300.5°T. 1402 A/STOP, PUT NUMBER THREE (3) MAIN GENERATOR IN THE PROPULSION LOOP, A/A 95 RPM (11.8 KNOTS). 1432 C/C TO 303.5°T. 1436 C/C TO 307.5°T. 1505 C/C TO 335.5°T. 1532 C/C TO 333.5°T.

W. K. Swoan, ENS, USNR.

16-20 UNDERWAY AS BEFORE. 1634 C/C TO 328°T. 1643 C/S TO 6.0 KNOTS (45 RPM), COMMENCED HEAVING IN TOW TO 200 FEET. 1650 C/C TO 342°T. 1654 SET SPECIAL SEA, ANCHOR AND TOWING DETAIL, C/C TO 350°T. 1657 ENTERED INLAND WATERS. 1708 COMMENCED MAKING VARIOUS COURSE AND SPEED CHANGES TO CONFORM WITH PEARL HARBOR CHANNEL. 1710 HEAVED IN TOW TO 100 FEET. 1718 (YTB-142) ALONGSIDE (YCU-17) 1737 BROKE THE TOW, (YTB-142) HAS (YCU-17) IN TOW. 1812 MOORED STARBOARD SIDE TO BERTH SIERRA EIGHTEEN (S-18) US NAVAL SUBMARINE BASE PEARL HARBOR HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED UP. 1821 SECURED SPECIAL SEA, ANCHOR AND TOWING DETAIL.

E. B. Masch LTJG USNR

20-24: MOORED AS BEFORE.

W. K. Swoan, ENS, USNR

APPROVED: [signature] CT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 8 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05	SEE FLEET WEATHER CENTRAL												
06													
07													
08													
09	PEARL HARBOR HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
14.7 GAL

REMARKS

ØØ-Ø4: MOORED STARBOARD SIDE TO BERTH SIERRA-EIGHTEEN (S-18), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

H. K. Swan, ENS, USNR.

Ø4-Ø8: MOORED AS BEFORE. Ø75Ø MUSTERED THE CREW AT QUARTERS FOR INSPECTION AND INSTRUCTIONS; ABSENTEES NONE.

H. K. Swan, ENS, USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Musch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY 8 NOVEMBER 61
(Day) (Date) (Month) 19

08-12. Moored as before. 0839 Made daily inspection of magazine temperature and smokeless power samples Condition normal.

J.E. Hoffpauir CWO U.S.N.

12-16. Moored as before

J.E. Hoffpauir CWO U.S.N.

16-20. Moored as before. 1800 Set material condition Yoke Second check and below.

J.E. Hoffpauir CWO USN

20-24 Moored as before

J.E. Hoffpauir CWO U.S.N.

APPROVED:

[signature] LT U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 9 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER			CENTRAL					
07													
08													
09													
10	PEARL		HARBOR		HAWAII								
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
73

REMARKS

00-04. Moored starboard side to Berth Nine Eighteen (5-18) U.S. Naval Submarine Base Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet. Sound and security. Material condition Yoke set second deck and below. SOPA is Commander in Chief U.S. Pacific Fleet.

J.E. Hoffey CWO U.S.N.

04-08. Moored as before. 0750 Held Quarters for muster and inspection; absentees none.

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: E.B. Mash LTJG U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ THURSDAY (Day) 9 (Date) NOVEMBER (Month), 19 61

08-12 MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE. 1815 MUSTERED THE DUTY FIRE PARTY, ABSENTEES NONE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 10 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH SIERRA EIGHTEEN (S-18) U.S. NAVAL SUBMARINE BASE PEARL HARBOR HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET PLUS YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: [signature] CT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 10 (Date) NOVEMBER (Month), 19 61

08-12 Moored as before. 0805 Mustered the crew at stations. Absentees; none. 0850 Made daily inspection of magazines and smoke locker. Sounded bunkers. Expenditures: Normal. Made weekly test of magazine sprinkling system; test; satisfactory.

J. J. Stupp, CWO, USN

12-16 Moored as before.

J. J. Stupp, CWO, USN

16-20 Moored as before. 1300 At material condition Yoke. 1815 Completed the duty fire party.

J. J. Stupp, CWO, USN

20-24 Moored as before.

J. J. Stupp, CWO, USN.

APPROVED:

[signature] LT. U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96). ZONE DESCRIPTION +10 DATE SATURDAY (Day) 11 (Date) NOVEMBER (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09	PEARL HARBOR HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
90

REMARKS

00-04 Moored starboard side to berth Sierra eighteen (S-18), U.S. Naval Submarine Base Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet and local district craft. SOPA is COMTHSW FOR PAC.

J. J. Stupp, CWO, USN

04-08 Moored as before.

J. J. Stupp, CWO, USN.

APPROVED: U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 11 (Date) NOVEMBER (Month) 19 61

Ø8-12: MOORED AS BEFORE. ØBØ5 MUSTERED THE DUTY SECTION ON STATIONS; ABSENTEES NONE. Ø92Ø MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W K Swan, ENS, USNR.

12-16: MOORED AS BEFORE.

W K Swan, ENS, USNR.

16-2Ø: MOORED AS BEFORE. 18ØØ SET MATERIAL CONDITION YOKE.

W K Swan, ENS, USNR.

2Ø-24: MOORED AS BEFORE.

W K Swan, ENS, USNR.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 12 (Date) NOVEMBER (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09	PEARL HARBOR HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ØØ-Ø4: MOORED STARBOARD SIDE TO BERTH SIERRA-EIGHTEEN (S-18), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER ASW FORCE, PACIFIC.

W.V. Swan, ENS, USNR

Ø4-Ø8: MOORED AS BEFORE.

W.V. Swan, ENS, USNR

APPROVED: _____ LT U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 12. (Date) NOVEMBER (Month) 19 61

08-12. Moored as before. 0800 Mustered the duty section on station; absentee rpt. 1030 Made daily inspection of magazine temperature and smokeless power samples; Condition normal.

J R Hoffey Cwo USN.

12-16. Moored as before.

J R Hoffey Cwo USN

16-20. Moored as before. 1800 Set Material Condition Yoke Second deck and below.

J R Hoffey Cwo USN

20-24 Moored as before.

J R Hoffey Cwo U.S.N.

APPROVED:

[signature] LT U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 13 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE		FLEET				WEATHER		CENTRAL			
07													
08													
09													
10		PEARL		HARBOR				HAWAII					
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
5

FUEL CONSUMED 0000-2400
277

REMARKS

00-04. Moored starboard side to Berth Eighteen (5-18) U.S. Naval Submarine Base Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous stores from dock via pier. Ships present include various ships and units of the U.S. Pacific Fleet. Yard and District Craft. SOPA is Commander ASW, Force Pacific.

J. E. Hoffey CWO USN.

04-08. Moored as before. 0750 Mustered the crew at Quarters for muster and inspection; absentees none.

J. E. Hoffey CWO USN.

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 13 (Date) NOVEMBER (Month), 19 61

08-12 MOORED AS BEFORE. 1045 SET THE SPECIAL SEA AND ANCHOR DETAIL. EIGHT 1058 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 1059 UNDERWAY FROM BERTH SIERRA EIGHTEEN (S-18) U.S. NAVAL SUBMARINE BASE, PEARL HARBOR HAWAII FOR BERTH ALFA TWO (A-2) U.S. NAVAL STATION PEARL HARBOR, HAWAII. 1100 MAKING VARIOUS COURSE AND SPEED CHANGES TO CONFORM WITH PEARL HARBOR CHANNEL AND TO MAKE BERTH. 1141 MOORED PORT SIDE TO BERTH ALFA TWO (A-2) WITH FOUR (4) STANDARD MOORING LINES. 1147 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1605 RECEIVED SERIES-40 TARGET SLED TO STARBOARD. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 14 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE FLEET WEATHER CENTRAL											
07													
08													
09													
10		PEARL HARBOR HAWAII											
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
118

FUEL CONSUMED 0000-2400
878

REMARKS

00-04 MOORED PORT SIDE TO BERTH ALFA TWO (A-2) U.S. NAVAL STATION, PEARL HARBOR HAWAII WITH FOUR (4) STANDARD MOORING LINES. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET PLUS YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF U.S. PACIFIC FLEET.

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0605 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE. 0619 SET SPECIAL SEA AND ANCHOR AND TOWING DETAIL. 0631 UNDERWAY IN ACCORDANCE WITH COMFLTRAGRU PEARL OPORD 46-61 WITH SERIES 40 TARGET SLED IN TOW, MAKING VARIOUS COURSE AND SPEED CHANGES TO CONFORM WITH PEARL HARBOR CHANNEL. 0640 COMMENCED STREAMING TOW TO 600 FEET. 0707 SECURED SPECIAL SEA, ANCHOR AND TOWING DETAIL. 0709 ENTERED INTERNATIONAL WATERS. 0720 TOW STREAMED TO 600 FEET, TOWING ON THE DOG.

E.B. Masch LTJG USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (CATF 96) TUESDAY (Day) 14 (Date) NOVEMBER (Month), 19 61

08-12 Underway as before. 0845 C/C to 210°, 199° PSTGC, 0907 C/C to 205°, 194° PSTGC, 0951 C/C to 215° 203° PSTGC. 0955 C/S to 9.5 knots (75 RPMS). Made daily inspection of magazines and smokeless powder samples. Conditions Inspection. 0957 C/C to 240° 227° (PSTGC). 1023 Steamed darkened to 3600 feet. 1033 Commenced scheduled exercise F-24-G with USS Redford (DDE 446). 1121 C/C to 300°, 289° PSTGC.

J. F. Stupp, CWO, USN

12-16 Underway as before 1206 Exercise F-24-G completed. 1210 C/C to 356° 344° PSTGC. 1216 C/C to 040°, 028° PSTGC. 1300 Secured lookouts to 800 feet. 1308 C/S to 11.3 knots (90 RPMS). 1405 C/C to 080° 067° PSTGC. 1426 C/C 090° 077° PSTGC. 1447 C/C to 065°, 051° PSTGC. 1532 C/C to 042°, 030° PSTGC.

J. F. Stupp, CWO, USN.

16-20 Underway as before. 1602 C/C to 038° 026° PSTGC. 1646 C/C to 020° 015° PSTGC. 1652 C/S to 7.7 knots (60 RPMS). 1654 Captain assumed the conn. 1700 Secured lookouts in to 200 feet. Set the special sea and anchor detail. C/C to 333° 322° PSTGC. 1705 Entered Oahu waters. Steering various courses and speeds to conform to Pearl Harbor Channel. Captain has the conn, navigator on the bridge. 1720 Passed buoy 2 abeam to starboard distance approx 175 yards. 1725 Passed buoy 4 abeam to starboard distance approx 150 yards. 1727 Snubbed up target. 1734 Passed buoy 6 abeam to starboard distance approx. 125 yards. 1741 Moored port side to berth alpha two (A-2) at Pearl Harbor Naval Base with standard mooring lines. 1747 Secured the special sea and anchor detail. 1800 Set material condition Yoke.

J. F. Stupp, CWO, USN.

20-24 Moored as before.

J. F. Stupp, CWO, USN.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE WEDNESDAY 15 NOVEMBER, 1961
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER			CENTRAL					
07													
08													
09													
10													
11	PEARL		HARBOR		HAWAII								
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
454

REMARKS

00-04 Moored portside to berth alpha two (A-2) U.S. Naval Station Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet yard and district craft. SOPA is COMASW PAC FOR.

J. J. Gupp, CWO, USN

04-08 Moored as before. 0750 disengaged the gear at quarters for muster and inspection, absentees: none.

J. J. Gupp, CWO, USN.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 15 (Date) NOVEMBER (Month) 19 61

0800-1200: MOORED AS BEFORE. 0822 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W K SIMPSON, ENS, USNR

1200-1600: MOORED AS BEFORE.

W K SIMPSON, ENS, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

W K SIMPSON, ENS, USNR

2000-2400: MOORED AS BEFORE.

W K SIMPSON, ENS, USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 16 (Date) NOVEMBER (Month), 1961

AT ~~PASSAGE FROM~~ PEARL HARBOR, HAWAII. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05	SEE		FLEET		WEATHER			CENTRAL					
06													
07													
08													
09	PEARL		HARBOR		HAWAII								
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 92

FUEL CONSUMED 0000-2400: 1,252

REMARKS

00-04: MOORED PORT SIDE TO BERTH ALFA-TWO (A-2), U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER, ASW FORCE, PACIFIC.

H. V. SWAN, ENS, USNR.

04-08: MOORED AS BEFORE. 0705 MUSTERED THE CREW AT QUARTERS FOR INSPECTION AND INSTRUCTIONS; ABSENTEES NONE. 0710 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0715 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0729 UNDERWAY IN ACCORDANCE WITH COMFLETRAGRU OPORD 46-61, CAPTAIN HAS THE CONN, NAVIGATOR IS ON THE BRIDGE. 0730 MAKING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL.

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: I.B. Masch LTJG U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 16 (Date) NOVEMBER (Month) 19 61

Ø4-Ø8 (CONTINUED): Ø736 PASSED BOUY NUMBER NINE (9) ABEAM TO STARBOARD, DISTANCE 15Ø YARDS. Ø744 SECURED THE ANCHORS FOR SEA. Ø745 PASSED BOUY NUMBER ONE (1) ABEAM TO STARBOARD, DISTANCE 2ØØ YARDS. Ø748 A/STOP, SHIFTED MOTOR CONTROL TO THE MOTOR ROOM, A/A 7Ø RPM (8.9 KNOTS). Ø75Ø SECURED THE SPECIAL SEA AND ANCHOR DETAIL, SET THE REGULAR UNDERWAY WATCH. Ø751 C/S TO 5Ø RPM (6.7 KNOTS). Ø752 C/S TO 1ØØ RPM (12.3 KNOTS) Ø754 ENTERED INTERNATIONAL WATERS. Ø756 C/C TO 17Ø°T.

W. H. Sisson, ENS, USNR.

08-12. Underway as before. 0811 C/S 110 RPM (13.3 kts) 0839 made daily inspection of magazine temperature and smokeless powder samples. Condition normal. 0925 Unmoored Bared for serial Z-6-N with U.S.S. Stark County (LST-1134) 0928 C/C 164°. 0931 C/C 162°. 1051 C/S 50 RPM (6.7 kts) 1053 C/C 720°. 1056 C/C 230°. 1110 C/C 090°. 1121 C/C 150°, 1122 C/C 145°. 1123 Commenced scheduled exercise Z-9-G With U.S.S. Fletcher (DDE-445) launched KD unit, Serial # 6897, B/C 090 1124 KD unit full bearing 162°. Maneuvering to recover KD unit. 1127 KD unit sunk, Serial # 6897. 1129 C/S 75 RPM. 9.5 kts. 1130 C/C 070°. 1131 C/C 080°. 1135 C/C 070°. 1142 C/C 075°. 1144 C/C 085°. 1148 C/S 62 RPM. 8 kts. 1149 C/S 50 RPM 6.7 kts. 1153 C/S 62 RPM 8 kts. 1156. Target aircraft is airborn. 1158 C/C 085°

J. E. Hoffey CWO USN

12-16. Underway as before. 1200 C/C 070°, 1204 C/C 060°, 1207 C/S 71 RPM 9 kts, 1208 C/S 62 RPM 8 kts. 1210 C/S 8.3 kts. 65 RPM C/C 062°. 1213 C/C 067°, 1214 C/C 060°, 1217 C/S 8.9 kts 70 RPM, 1221 C/C 058°, C/S 9.5 kts 75 RPM, 1223 C/C 056° 1225 C/C 058° 70 RPM 8.9 kts 1230 Commenced maneuvering at various speed and courses to recover target air croft. 1303 target aircraft is in the water off Port Beam 1318. Completed scheduled exercise Z-9-G with U.S.S. Fletcher (DDE-445) released to proceed on duty assigned. 1327 target air craft along side to Port. 1345 target air craft aboard. C/S 110 RPM (13.3 kts) C/C 330°. 1349 C/C 335°. 1552 C/C 345°.

J. E. Hoffey CWO U.S.N.

16-20. Underway as before. 1609. Commenced making preperation for entering port. 1618 C/C 341°. 1630 Set the Special Sea and Anchor detail. 1632 C/C 333°. 1636 C/C 331° 1639 C/C 330°. 1640 Entered Inland Water C/C 329°

J. E. Hoffey CWO USN (CON'T)

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 16 (Date) NOVEMBER (Month), 19 61

16-20 (CONT) Captain Canning Navigator on the bridge. Commenced steering various courses at various speeds Conforming to Pearl Harbor Channel. 1659 Passed buoy #6 abeam to Starboard. Distance approximately 100 yds. 1700 Making various courses and speed changes as necessary to conform with Maneuvering in to Berth Alfa Two (A-2) U.S. Naval Station, Pearl Harbor Hawaii 1706 Moored Port side to Berth Alfa two (A-2) with Standard mooring lines. 1714 Secured the Special Sea and anchor Detail Set the in port watch 1800 Set material condition Yoke second deck and below.

J.E. Hoffey CWO USN.

20-24. Moored as before.

J.E. Hoffey CWO U.S.N.

APPROVED:

[signature] (LT) U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 17 (Date) NOVEMBER (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07		SEE		FLEET				WEATHER			CENTRAL		
08													
09													
10													
11		PEARL		HARBOR				HAWAII					
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
74

FUEL CONSUMED 0000-2400
906

REMARKS

00-04 Moored Port side to Berth Alfa two (17-2) U.S. Naval Station, Pearl Harbor Hawaii with four (4) standard mooring lines doubled-up. Relieving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and district Craft. SOPA is Commander 17th Naval District.

J.E. Hoffey CWO U.S.N.

04-08 Moored as before. 0545. Commenced making preparations for getting underway. 0650 Mustered the Crew at Quarters for muster and inspection, absentee GIBSON W. H. SN 389-94-36 U.S.N. 0602 Stationed the special sea detail. 0611. Completed all preparations for getting underway, Draft forward 13' 3" Aft 16' 0". 1621 Underway IAW COMFLTTRAGRU OPORD 46-61. Captain has the Conn Navigator is on the bridge

J.E. Hoffey CWO USN (CONT

APPROVED:

[signature] LT, U.S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U.S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 17 (Date) NOVEMBER (Month) 19 61

04-08 (CON'T). making various course and speed changes as necessary to conform with maneuvering through Pearl Harbor Channel to Whisky Pier. 0645 Maneuvering to come alongside of Whisky pier 0657 Moored Stbd side to Berth Whisky Five (W-5) with standard mooring lines. 0708 Underway to move forward and alongside of Ammunition barge. 0712 Moored Stbd Side to (YFN-692) 0728 Secured special sea and Anchor detail. Set the in port watch. 0729 Lt Lawrence USN Came aboard as NAD representitive, Hoover CWI USN. Embarked in (YFN-692) as observer, also 17 Civilian Personnel embarked in (YFN-692.

J. A. Hoffey CWO USN.

EBM 08-12 ~~UNDERWAY~~ MOORED AS BEFORE. 0800 SET SPECIAL SEA, ANCHOR AND TOWING DETAIL. 0812 UNDERWAY IN ACCORDANCE WITH COMFLTFRAGRU PEARL OPORDER 46-61 CAPTAIN HAS THE CONN, NAVIGATOR IS ON THE BRIDGE, MAKING VARIOUS COURSE AND SPEED CHANGES TO CONFORM WITH PEARL HARBOR CHANNEL. 0902 COMMENCED PAYING-OUT (YFN-692) TO 800 FEET. 0904 SECURED THE SPECIAL SEA AND ANCHOR DETAIL, ENTERED INTERNATIONAL WATERS. 0920 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 0955 STEADY ON COURSE 287°T, SPEED 11.8 KNOTS (95 RPM) 1114 C/C TO 295°T, C/S TO 7.0 KNOTS (53 RPM). 1118 COMMENCED DUMPING AMMUNITION FROM (YFN-692). 1159 COMPLETED DUMPING AMMUNITION, C/S TO 7.7 KNOTS (60 RPM).

E.B. Masch LTJG USNR

12-16 UNDERWAY AS BEFORE. 1206 C/C TO 116°T, C/S TO 8.9 KNOTS (70 RPM) 1221 C/S TO 11.3 KNOTS (90 RPM). 1225 C/C TO 121°T. 1513 COMMENCED HEAVING IN TOW TO 400 FEET. 1520 SET SPECIAL SEA AND ANCHOR DETAIL. 1521 C/C TO 091°T. 1548 C/S TO 6.7 KNOTS (50 RPM).

E.B. Masch LTJG USNR

16-20 UNDERWAY AS BEFORE. 1601 C/C TO 000°T. 1613 HEAVED IN TOW TO 200 FEET. 1622 ENTERED INLAND WATERS. 1635 HEAVED IN TOW TO 50 FEET, COMMENCED MAKING VARIOUS COURSE AND SPEED CHANGES TO CONFORM WITH PEARL HARBOR CHANNEL AND TO MAKE BERTH. 1643 (YTB-195) CAME ALONGSIDE TO STARBOARD AND PICKED UP NAD REPRESENTATIVE LT(JG) LAWRENCE USN. 1647 (YTB-195) ALONGSIDE (YFN-692). 1653 TOW IS BROKEN, (YTB-195) HAS (YFN-692) IN TOW. 1726 MOORED STARBOARD SIDE TO U.S.S. WALTON (DE-361) AT BERTH FOXTROT ONE (F-1) FORD ISLAND, PEARL HARBOR HAWAII IN ANEST CONSISTING OF USS HAMUL (AD-20), U.S.S. WILHOITE (DER-397) AND USS. EDMONDS (DE-406). 1736 SECURED THE SPECIAL SEA, ANCHOR AND TOWING DETAIL. 1755 GIBSON, W.H. (389-94-36) REPORTED BACK ABOARD.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED:

U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 18 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE		FLEET		WEATHER				CENTRAL			
07													
08													
09		PEARL		HARBOR		HAWAII							
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
374

REMARKS

00-04 MOORED STARBORD SIDE TO U.S.S. WALTON (DE-361) WITH FOUR (4) STANDARD MOORING LINES DOUBLED UP, IN A NEST OF FIVE (5) SHIPS, U.S.S. HAMUL (AD-20) MOORED STARBOARD SIDE TO BERTH FOXTROT ONE (F-1) FORD ISLAND HAWAII. USS EDMONDS (DE-406) MOORED STARBOARD SIDE TO U.S.S. HAMUL (AD-20), U.S.S. WILHOITE (DER-397) MOORED STARBOARD SIDE TO USS EDMONDS (DE-406) AND U.S.S. WALTON (DE-361) MOORED STARBOARD SIDE TO U.S.S. WILHOITE (DER-397). RECEIVING MISCELLANEOUS SERVICES FROM THE U.S.S. HAMUL (AD-20). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET PLUS YARD AND DISTRICT CRAFT. SOPA IS COMMANDER ASW FORCES PACIFIC.

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE DUTY SECTION, ABSENTEES NONE.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 18 (Date) NOVEMBER (Month) 19 61

08-12 Moored as before. 1100 Made daily inspection of magazines and smokeless powder samples. Ammunition conditions; normal.

J. J. Stipp, CWO, USN

12-16 Moored as before.

J. J. Stipp, CWO, USN

16-20 Moored as before. 1800 Set material condition Yoke. 1815 Manned the duty fire party.

J. J. Stipp, CWO, USN

20-24 Moored as before.

J. J. Stipp, CWO, USN

APPROVED: LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION T10 DATE SUNDAY 19 NOVEMBER, 19 61
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER			CENTRAL					
07													
08													
09													
10	PEARL		HARBOR		HAWAII								
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
274

REMARKS

00-04 Moored starboard side to USS Walton (DE361) with four (4) standard mooring lines in a nest of five ships, USS Samuel (AD20) moored starboard side to South Dock one (F-1) Ford Island, Pearl Habor, Hawaii. USS Edmonds (DE406) moored starboard side to USS Samuel (AD 20). USS Wilhoite (DER397) moored starboard side to USS Edmonds (DE406) and USS Walton (DE361) moored starboard side to USS Wilhoite (DER397). Receiving miscellaneous services from USS Samuel (AD20). Ships present include various ships and units of the U.S. Pacific Fleet, yard and district craft. SOPA is COM ASW FORPAC.

W. J. Gupp, CWO, USN

04-08 Moored as before.

W. J. Gupp, CWO, USN.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 19 (Date) NOVEMBER (Month) 61

0800-1200: MOORED AS BEFORE. 0810 MUSTERED THE DUTY SECTION ON STATIONS; ABSENTEES NONE. 1018 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H K Swoon, ENS, USNR.

1200-1600: MOORED AS BEFORE.

H K Swoon, ENS, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H K Swoon, ENS, USNR.

2000-2400: MOORED AS BEFORE.

H K Swoon, ENS, USNR.

APPROVED:

[signature] LT U. S. N. COMMANDING

EXAMINED:

E. B. Marsh LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 20 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07		SEE	FLEET		WEATHER			CENTRAL					
08													
09													
10													
11		PEARL	HARBOR		HAWAII								
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
206

REMARKS

00-04: MOORED STARBOARD SIDE TO U.S.S. WALTON (DE 561) WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP, IN A NEST OF FIVE SHIPS INCLUDING USS EDMONDS (DE 406), USS WILHOITE (DER 397) AND USS HAMUL (AD-20) AT BERTH FOXTROT-ONE (F-1), U.S. NAVAL STATION, PEARL HARBOR, HAWAII. RECEIVING MISCELLANEOUS SERVICES FROM USS HAMUL (AD-20). SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER, ASW ~~FORCE~~ FORCE, PACIFIC.

H.L. Swan, ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW FOR INSPECTIONS ~~+~~ AND INSTRUCTIONS; ABSENTEES NONE.

H.L. Swan, ENS, USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Mash LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 20 (Date) NOVEMBER (Month), 19 61

08-12. Moored as before. 0830 Held daily inspection of magazine temperatures and smoke & gas sample. Condition normal.

J.F. Hoffey CWO U.S.N.

12-16. Moored as before 1240 Secured Gyro Compass. 1338. Commenced receiving electrical power from U.S.S. Hamul (AD-20)

J.F. Hoffey CWO U.S.N.

16-20. Moored as before. 1800 Set material Condition Yoke Second deck and below.

J.F. Hoffey CWO U.S.N.

20-24. Moored as before.

J.F. Hoffey CWO U.S.N.

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 21 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE		FLEET		WEATHER		CENTRAL					
07													
08													
09													
10		PEARL		HARBOR		HAWAII							
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
196

REMARKS

00-04. Moored starboard side to U.S.A. Walton (DE-361) with four (4) standard mooring lines, in a nest of five ships. U.S.A. Hamul (AD-20) moored starboard side to berth 7 afloat one (F-1) Ford Island, Pearl Harbor Hawaii, U.S.A. Edmonds (DE-406) moored starboard side to U.S.A. Hamul (AD-20), U.S.A. Wilhoite (DER-397) moored starboard side to U.S.A. Edmonds (DE-406) and U.S.A. Walton (DE-361) moored starboard side to U.S.A. Wilhoite (DER-397). Receiving miscellaneous service from U.S.A. Hamul (AD-20). Ships present include various units of the U.S. Pacific fleet, Yard and district craft. A.O.P.A. is COMTASKFORPAC.

J.E. Hoffey CWO U.S.N.

04-08. Moored at berth. 0750 Mustered the crew at Quarters for muster and inspection; absentees none.

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 21 (Date) NOVEMBER (Month), 19 61

08-12 MOORED AS BEFORE. 0903 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED:

LT U. S. N. COMMANDING

EXAMINED:

E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 22 (Date) NOVEMBER (Month) 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE		FLEET		WEATHER					CENTRAL			
07													
08													
09	PEARL		HARBOR		HAWAII								
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
288

REMARKS

00-04 MOORED STARBOARD SIDE TO U.S.S. WALTON (DE-361) WITH FOUR (4) STANDARD MOORING LINES DOUBLED UP IN A NEST OF FIVE SHIPS, USS HAMUL (AD-20) MOORED STARBOARD SIDE TO BERTH FOXTROT ONE (F-1) FORD ISLAND, PEARL HARBOR HAWAII, U.S.S. EDMONDS (DE-406) MOORED STARBOARD SIDE TO USS HAMUL (AD-20), U.S.S. WILHOITE (DER-397) MOORED STARBOARD SIDE TO U.S.S. EDMONDS (DE-406) AND U.S.S. WALTON MOORED STARBOARD SIDE TO U.S.S. WILHOITE (DER-397). RECEIVING MISCELLANEOUS SERVICES FROM THE U.S.S. HAMUL (AD-20). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET PLUS YARD AND DISTRICT CRAFT. SOPA IS COMMANDER ASW FORCE PACIFIC.

E. B. March LTJG USNR

04-08 MOORED AS BEFORE, 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE.

E. B. March LTJG USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. March LTJG U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) WEDNESDAY (Day) 22 (Date) NOVEMBER (Month) 19 61

08-12 Moored as before. 0920 Made daily inspection of magazines and smokeless powder samples; conditions; normal.

J. J. Stupka, CWO, USN

12-16 Moored as before.

J. J. Stupka, CWO, USN.

16-20 Moored as before. 1800 SET material condition "Yoke". 1830 Mustered the duty free party.

J. J. Stupka, CWO, USN

20-24 Moored as before.

J. J. Stupka, CWO, USN.

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 23 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE		FLEET				WEATHER		CENTRAL			
07													
08													
09													
10		PEARL		HARBOR				HAWAII					
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
110

REMARKS

00-04 Moored starboard side to USS Walton (DE 361) with four (4) standard mooring lines doubled up, ring nest of four ships USS Samuel (AD 20) moored starboard side to berth Foxtrot One (F-1) Ford Island Pearl Harbor Hawaii, USS Edmonds (DE 406) moored starboard side to USS Samuel (AD 20) USS Wiltsie (DER 397) moored starboard side to USS Edmonds (DE 406) and USS Walton (DE 361) moored starboard side to USS Wiltsie (DER 397). Receiving miscellaneous services from the USS Samuel (AD 20) Ships present include various ships and units of the U.S. Pacific Fleet, yard and district craft. Operating Commander in Chief, U.S. Pacific Fleet.

J. J. Gupp, CWO, USN

04-08 Moored as before. 0750 Mustered the duty section on stations; absentees; none.

J. J. Gupp, CWO, USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 23 (Date) NOVEMBER (Month) 19 61

0800-1200: MOORED AS BEFORE. 0920 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. L. Swan, ENS, USNR.

1200-1600: MOORED AS BEFORE.

W. L. Swan, ENS, USNR.

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

W. L. Swan, ENS, USNR.

2000-2400: MOORED AS BEFORE.

W. L. Swan, ENS, USNR.

APPROVED:

LT U. S. N. COMMANDING.

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ~~4~~ ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 24 (Date) NOVEMBER (Month), 19 61

AT ~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05	SEE		FLEET		WEATHER					CENTRAL			
06													
07													
08													
09	PEARL		HARBOR		HAWAII								
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 275

REMARKS

ØØ-Ø4: MOORED STARBOARD SIDE TO USS WALTON (DE-361) WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP IN A NEST OF FIVE (5) SHIPS; USS HAMUL (AD-2Ø) MOORED STARBOARD SIDE TO BERTH FOXTROT-ONE (F-1) FORD ISLAND, PEARL HARBOR, HAWAII, USS ~~EDMONDS (DE-406)~~ WILHOITE (DER-397) MOORED STARBOARD SIDE TO USS HAMUL (AD-2Ø), USS EDMONDS (DE-4Ø6) MOORED STARBOARD SIDE TO USS WILHOITE (DER-397), AND USS WALTON (DE-361) MOORED STARBOARD SIDE TO USS EDMONDS (DE-4Ø6). RECEIVING MISCELLANEOUS SERVICES FROM USS HAMUL (AD-2Ø). SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER, ASW FORCE, PACIFIC.

H K [illegible], ENS, USNR

Ø4-Ø8: MOORED AS BEFORE. Ø75Ø MUSTERED THE CREW AT QUARTERS FOR INSPECTION AND INSTRUCTIONS; ABSENTEES NONE.

H K [illegible], ENS, USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 24 (Date) NOVEMBER (Month), 19 61

08-12. Moored as before. 1050 Made daily inspection of magazine and smokeless powder samples; conditions normal. Made weekly test of magazine sprinkling and flooding system; Conditions satisfactory

J. E. Hoffey CWO USN

12-16. Moored as before. 1342 Commenced Captain's inspection of lower decks, holds and storerooms 1505 Secured from inspection.

J. E. Hoffey CWO USN

16-20. Moored as before. 1745 Hoisted number two motor whale boat into chicks and secured for sea. 1800 Set Material Condition Yoke Second deck and below.

J. E. Hoffey CWO USN

20-24. Moored as before

J. E. Hoffey CWO USN

APPROVED:

U. S. N. COMMANDING

EXAMINED:

E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 25 (Date) NOVEMBER (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE		FLEET		WEATHER				CENTRAL			
07													
08													
09		PEARL		HARBOR		HAWAII							
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
4

FUEL CONSUMED 0000-2400
260

REMARKS

00-04. Moored starboard side to U.S.S. Walton (DE-361) with four (4) standard mooring lines doubled up, in nest of five ships. U.S.A.T. Hamul (AD-20) moored starboard side to berth Foxtrot one (F-1) Ford Island Pearl Harbor, Hawaii. U.S.A.T. Edmonds (DE-406) moored starboard side to U.S.A.T. Hamul (AD-20). U.S.A.T. Wilhoite (DER-397) moored starboard side to U.S.A.T. Edmonds (DE-406) and U.S.A.T. Walton (DE-361) moored starboard side to U.S.A.T. Wilhoite (DER-397). Receiving miscellaneous services from U.S.A.T. Hamul (AD-20). Ship present includes various units of the U.S. Pacific Fleet. Yard and district Corpt. SOPA in Commander-in Chief U.S. Pacific Fleet

J.E. Hoffey CWO U.S.N.

04-08. Moored as before. 0750 Mustered duty section at Quarters Absentees; none

J.E. Hoffey CWO U.S.N.

APPROVED: U. S. N. COMMANDING

EXAMINED: E.B. Masch 2750 U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 25 (Date) NOVEMBER (Month) 19 61

08-12 MOORED AS BEFORE. 0830 SET SPECIAL SEA AND ANCHOR DETAIL. 0900 UNDERWAY FROM BERTH FOXTROT ONE (F-1) TO BERTH ALFA FIVE (A-5) U.S. NAVAL STATION PEARL HARBOR HAWAII, CAPTAIN HAS THE CONN, NAVIGATOR IS ON THE BRIDGE, MAKING VARIOUS COURSE AND SPEED CHANGES TO CONFORM WITH THE CHANNEL AND TO MAKE BERTH. 0928 MOORED PORT SIDE TO USS UTE (ATF-76) WITH FOUR (4) STANDARD MOORING LINES DOUBLED UP AT BERTH ALFA FIVE (A-5) U.S. NAVAL STATION PEARL HARBOR HAWAII. 0937 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1004 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

E.B. Masch LTJG USNR

12-16 MOORED AS BEFORE.

E.B. Masch LTJG USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 26 (Date) NOVEMBER (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09	PEARL HARBOR, HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
147

REMARKS

00-04 MOORED PORT SIDE TO USS UTE (ATF-76) AT BERTH ALFA FIVE (A-5) US NAVAL STATION PEARL HARBOR HAWAII WITH FOUR STANDARD MOORING LINES DOUBLED UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET PLUS YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF U.S. PACIFIC FLEET.

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96). SUNDAY (Day) 26 (Date) NOVEMBER (Month), 1961

08-12 Moored as before. 0800 Mustered the duty section on stations; absentees, none. 0815 Made daily inspection of magazines and smokeless powder samples; conditions, normal.

J. J. Lupp, CWO, USN.

12-16 Moored as before.

J. J. Lupp, CWO, USN

16-20 Moored as before. 1900 Set material condition Yoke. 1915 Mustered the duty fire party.

J. J. Lupp, CWO, USN

20-24 Moored as before.

J. J. Lupp, CWO, USN.

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY 27 NOVEMBER, 1961
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05	SEE	FLEET	WEATHER	CENTRAL									
06													
07													
08													
09	PEARL	HARBOR	HAWAII										
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
80

FUEL CONSUMED 0000-2400
1,089

REMARKS

00-04 Moored portside to USS Yfe (ATF 76) at 9 berth Alpha pier (A-5), U.S. Naval Station, Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet yard and district craft. COMSERVPAC is Commander in Chief, U.S. Pacific Fleet.

J. J. Gupp, CWO, USN

04-08 Moored as before. 0750 Mustered the crew at quarters; absentees; none.

J. J. Gupp, CWO, USN

APPROVED: [signature] LT U.S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U.S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 27 (Date) NOVEMBER (Month) 61

08-12: MOORED AS BEFORE. Ø829 MADE DAILY INSPECTIONS OF MAGAZINES AND ~~SMOKE~~ SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. Ø83Ø COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. Ø845 SET THE SPECIAL SEA AND ANCHOR DETAIL. Ø852 ALL STATIONS MANNED AND READY FOR GETTING UNDERWAY. ~~Ø852~~ Ø9ØØ UNDERWAY IN ACCORDANCE WITH COMFLETRAGRU OPORD 48-61 WITH 5-HØ SLED IN TOW. CAPTAIN HAS THE CONN, NAVIGATOR IS ON THE BRIDGE. MAKING VARIOUS COURSE AND SPEED CHANGES TO CONFORM WITH PEARL HARBOR CHANNEL. Ø91H PASSED BOUY #7 ABEAM TO STARBOARD, DISTANCE 1ØØ YARDS. Ø926 PASSED BOUY #1 ABEAM TO STARBOARD, DISTANCE 15Ø YARDS. Ø928 A/STOP, SHIFTED MOTOR CONTROL TO THE MOTOR ROOM. A/A 6Ø RPM (7.7 KNOTS) Ø929 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. SET THE REGULAR UNDERWAY WATCH. Ø933 STEADY ON CUS ~~Ø~~ 19Ø°T. Ø938 ENTERED INTERNATIONAL WATERS. Ø94Ø C/S TO 9Ø RPM (11.3 KNOTS) Ø942 KENNEY, BMC RELIEVED THE CAPTAIN OF THE CONN. Ø959 TESTED SHIP'S WHISTLE, SIREN, GENERAL, CHEMICAL AND STEERING ALARMS; TEST SATISFACTORY. 1Ø21 C/C TO 2Ø5°T. 1158 Ø C/C TO 25Ø°T. 1158 ENS SWAN RELIEVED KENNEY, BMC OF THE CONN.

H.V. Swan, ENS, USNR.

12-16: UNDERWAY AS BEFORE. 1321 CAPTAIN RELIEVED ENS SWAN OF THE CONN. 1342 C/S TO 7Ø RPM (8.9 KNOTS) 1410 COMMENCED SCHEDULED EXERCISE (Z-21-G) WITH U.S.S. ELKHORN (AOG-7) OCE. BASE CUS Ø9Ø°T, BASE SPEED 7Ø RPM (8.9 KNOTS) 1424 ENS SWAN RELIEVED THE CAPTAIN OF THE CONN. 1446 COMPLETED EXERCISE Z-21-G, USS ELKHORN (AOG-7) OCE. 1452 COMMENCED EXERCISE Z-25-G, USS ELKHORN (AOG-7) OCE. 1506 COMPLETED EXERCISE Z-25-G, USS ELKHORN (AOG-7) OCE. 1509 COMMENCED EXERCISE Z-27-G, USS ELKHORN (AOG-7) OCE. 1517 COMPLETED EXERCISE Z-27-G, USS ELKHORN (AOG-7) OCE. THIS SHIP RELEASED TO PROCEED ON DUTY ASSIGNED. 152Ø C/C TO Ø5Ø°T. 1522 C/S TO 65 RPM (8.3 KNOTS) 1525 C/C TO Ø4Ø°T. 153Ø ~~C/C~~ TO Ø35°T. 1545 C/S TO 85 RPM (1Ø.8 KNOTS) 1549 C/S TO 9Ø RPM (11.3 KNOTS)

H.V. Swan, ENS, USNR

16-2Ø: UNDERWAY AS BEFORE. 17Ø1 LT(jg) MASCH RELIEVED ENS SWAN OF THE CONN. 1758 C/C TO Ø32°T. 18Ø2 COMMENCED MAKING PREPARATIONS FOR ENTERING PORT. 1810 C/C TO Ø28°T. CAPTAIN RELIEVED LT(jg) MASCH OF THE CONN. SET THE SPECIAL SEA AND ANCHOR DETAIL. 1839 C/C TO 356°T. 1841 ENTERED INLAND WATERS. C/C TO 345° T. A/STOP; SHIFTED CONTROL TO THE BRIDGE. A/A 7Ø RPM (8.9 ~~RPM~~ KNOTS) C/C TO 336°T. 1853 PASSED BOUY #2 ABEAM TO STARBOARD, DISTANCE 1ØØ YARDS. MAKING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1913 MOORED STARBOARD SIDE TO BERTH ALFA-SIX (A-6), U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH FOUR(4) STANDARD MOORING LINES

APPROVED: C. LT U. S. N. COMMANDING

EXAMINED: E.B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAIKI (ATF-96) ZONE DESCRIPTION +10 DATE ~~MONDAY~~ TUESDAY 27 ~~28~~ NOVEMBER (Day) (Date) (Month), 19 61

AT ~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 27 (Date) NOVEMBER (Month) 61

16-20 (CONTINUED) DOUBLED-UP. 1920 SECURED THE SPECIAL SEA AND ANCHOR DETAIL, SET THE REGULAR IN-PORT WATCH.

W. K. SWAN, ENS. USNR.

20-24: MOORED AS BEFORE.

W. K. SWAN, ENS. USNR.

APPROVED: LT U. S. N. COMMANDING

EXAMINED: E. B. March LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 28 (Date) NOVEMBER (Month), 1961

AT ~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE	FLEET	WEATHER		CENTRAL								
07													
08													
09													
10	PEARL		HARBOR		HAWAII								
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
135

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH ALFA-SIX (A-6), U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

H.K. Swan, ENS, USNR.

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS FOR INSPECTION AND INSTRUCTIONS; ABSENTEES NONE.

H.K. Swan, ENS, USNR.

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: E. B. Mash LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 28 (Date) NOVEMBER (Month), 1961

08-12. Moored as before. 0928 Made daily inspection of magazine and smokeless powder samples. Condition normal.

J.E. Hoffey CWO USN.

12-16. Moored as before.

J.E. Hoffey CWO USN.

16-20 Moored as before. 1715 Tested magazine sprinkling system 1800 Set material condition Yoke Second deck and below.

J.E. Hoffey CWO USN

20-24. Moored as before.

J.E. Hoffey CWO USN.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

E. B. Mash LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 29 (Date) NOVEMBER (Month), 1961

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE	FLEET		WEATHER			CENTRAL					
07													
08													
09		PEARL	HARBOR		HAWAII								
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
96

FUEL CONSUMED 0000-2400
570

REMARKS

00-04 Moored starboard side to berth alpha six (A-6) U.S. Naval station; Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from t/s pier. Ships present inclade various units of the U.S. Pacific Fleet, Yard and district Craft S.O.P.A. is Commander in Chief U.S. Pacific Fleet

J.E. Hoffey Cwo USN

04-08. Moored as before. 0635 Mustered the crew at quarters for muster and inspection, absentees JONES, ARTHUR, C SF1 386-09-49 USN and MELTON, THOMAS, C EN2 996-17-49 U.S.N. 0649. Set the special sea and anchor detail. 0701 Underway IAW COMFLT TRACRU OPORD 48-61. ENS SWAN CANNING Captain and Navigator on the bridge. Making various courses and speed changes to conform with

J.E. Hoffey Cwo USN (CONT.

APPROVED: LT U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 29 (Date) NOVEMBER (Month) 61

04-08 (CON'T) maneuvering out of Pearl Harbor Channel 0720 Secured sea and anchor detail. Set underway watch. 0728. Entered international waters 0729 C/S 90 RPM (11.3 kts) 0730 C/C 270°

J.C. Hoffey Cwo U.S.N.

08-12 UNDERWAY AS BEFORE. 0816 MADE DAILY INSPECTION OF MAGAZINE TEMPERATURES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. 0827 C/C TO 300°T. 0931 C/C TO 330°T, C/S TO 5.2 KNOTS (40 RPM). 0934 COMMENCED STREAMING SPAR TO 3400 FEET. 0946 C/S TO 11.3 KNOTS (90 RPM). 0954 SPAR STREAMED TO 3400 FEET, COMMENCED LOW ALTIDUTE BOMBING AND ROCKET FIRING EXERCISES WITH (VP-22). 1107 C/C TO 350°T. 1133 C/S TO 8 KNOTS (62 RPM).

E.B. Masch LTJG USNR

12-16 UNDERWAY AS BEFORE. 1208 C/C TO 150°T. 1230 C/C TO 165°T. 1316 C/S TO 11.0 KNOTS (87 RPM). 1406 C/C TO 345°T. 1522 C/C 148°T, C/S TO 5.2 KNOTS (40 RPM).

E.B. Masch LTJG USNR

16-20 UNDERWAY AS BEFORE. 1600 C/S TO 11.3 KNOTS (90 RPM). 1604 C/S TO 5.2 KNOTS (40 RPM), COMMENCED HEAVING IN SPARS FOR RECOVERY. 1630 SPARS ON BOARD, C/S TO 13.3 KNOTS (110 RPM). 1751 C/C TO 095°T. 1835 C/C TO 335°T. 1838 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1839 ENTERED INLAND WATERS, MAKING VARIOUS COURSE AND SPEED CHANGES TO CONFORM WITH PEARL HARBOR CHANNEL AND TO MAKE BERTH. 1855 MOORED PORT SIDE TO BERTH ALFA FIVE (A-5) U.S. NAVAL STATION PEARL HARBOR HAWAII WITH FOUR(4) STANDARD MOORING LINES DOUBLED UP. 1903 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1916 SET MATERIAL CONDITION YOKE.

E.B. Masch LTJG USNR

20-24 MOORED AS BEFORE.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 30 (Date) NOVEMBER (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE	FLEET		WEATHER			CENTRAL					
07													
08													
09		PEARL	HARBOR		HAWAII								
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
2,023

REMARKS

00-04 MOORED PORT SIDE TO BERTH ALFA FIVE (A-5) U.S. NAVAL STATION PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET PLUS YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF U.S. PACIFIC FLEET.

E.B. Masch LTJG USNR

04-08 MOORED AS BEFORE. 0750 HELD QUARTERS FOR MUSTER AND INSPECTION, ABSENTEES NONE.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: E.B. Masch LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 30 (Date) NOVEMBER (Month) 19 61

08-12 Moored as before. 0845 Made daily inspection of magazine temperatures and Smokeless powder samples Condition normal.

J.R. Hoffey CWO U.S.N.

12-16 Moored as before.

J.R. Hoffey CWO U.S.N.

16-20 Moored as before. 1800 Mustred the duty fire party. 1805 Set Material condition York. Second deck and below. 1810. Held fire drill in Compartment C-207-L. 1825 Secured from fire drill.

J.R. Hoffey CWO U.S.N.

20-24. Moored as before.

J.R. Hoffey CWO U.S.N.

APPROVED: [signature] LT, U. S. N. COMMANDING

EXAMINED: E. B. Masch LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR